

The growth of business firms: Theoretical framework and empirical evidence

Dongfeng Fu^{*†}, Fabio Pammolli^{*‡§}, S. V. Buldyrev[¶], Massimo Riccaboni^{‡§}, Kaushik Matia^{*}, Kazuko Yamasaki^{||}, and H. Eugene Stanley^{*†}

^{*}Center for Polymer Studies and Department of Physics, Boston University, Boston, MA 02215; [†]Faculty of Economics, University of Florence, 50127 Florence, Italy; [‡]IMT Institute for Advanced Studies, Via S. Michele 3, 55100 Lucca, Italy; [§]Department of Physics, Yeshiva University, 500 West 185th Street, New York, NY 10033; and [¶]Tokyo University of Information Sciences, Chiba City 265-8501, Japan

Contributed by H. Eugene Stanley, November 2, 2005

We introduce a model of proportional growth to explain the distribution $P_g(g)$ of business-firm growth rates. The model predicts that $P_g(g)$ is exponential in the central part and depicts an asymptotic power-law behavior in the tails with an exponent $\zeta = 3$. Because of data limitations, previous studies in this field have been focusing exclusively on the Laplace shape of the body of the distribution. In this article, we test the model at different levels of aggregation in the economy, from products to firms to countries, and we find that the predictions of the model agree with empirical growth distributions and size-variance relationships.

proportional growth | preferential attachment | Laplace distribution

Gibrat (1, 2), building on the work of the astronomers Kapteyn and Uven (3), assumed the expected value of the growth rate of a business firm's size to be proportional to the current size of the firm, which is called the law of proportionate effect (4, 5). Several models of proportional growth have been subsequently introduced in economics to explain the growth of business firms (6–8). Simon and co-workers (9–12) extended Gibrat's model by introducing an entry process according to which the number of firms rise over time. In the framework of Simon and co-workers, the market consists of a sequence of many independent “opportunities” that arise over time, each of size unity. Models in this tradition have been challenged by many researchers (13–17) who found that the firm-growth distribution is not Gaussian but displays a tent shape.

Here we introduce a general framework that provides a unifying explanation for the growth of business firms based on the number and size distribution of their elementary constituent components (18–25). Specifically, we present a model of proportional growth in both the number of units and their size, and we draw some general implications on the mechanisms that sustain business-firm growth (7, 11, 21, 26–28). According to the model, the probability density function (PDF) of growth rates is Laplace in the center (13) with power-law tails (29, 30) decaying as $P_g(g) \sim g^{-\zeta}$, where $\zeta = 3$.

Also, because of data limitations, previous studies in this field focus on the Laplace shape of the body of the distribution, which, however, is an unconditional object (31). Using a database on the size and growth of firms and products, we characterize the shape of the whole growth-rate distribution.

We test our model by analyzing different levels of aggregation of economic systems, from the “micro” level of products to the “macro” level of industrial sectors and national economies. We find that the model accurately predicts the shape of the PDF of growth rate at all levels of aggregation studied.

The Theoretical Framework

We model business firms as classes consisting of a random number of units. According to this view, a firm is represented as the aggregation of its constituent units such as divisions (22), businesses (20), or products (21). Accordingly, on a different level of coarse graining, a class can represent a national economy composed of economic units such as firms. In this article, we study the logarithm of the 1-year growth rate of classes $g \equiv \log[S(t+1)/S(t)]$, where $S(t)$

and $S(t+1)$ are the sizes of classes in the year t and $t+1$ measured in monetary values [gross domestic product (GDP) for countries, sales for firms and products]. Our model is illustrated in Fig. 1. Two key sets of assumptions in the model are that the number of units in a class grows in proportion to the existing number of units (*Assumptions 1–4*) and the size of each unit fluctuates in proportion to its size (*Assumptions 5 and 6*).

Assumption 1. Each class α consists of $K_\alpha(t)$ number of units. At time $t = 0$ (time step measured by year, generally), there are $N(0)$ classes consisting of $n(0)$ total number of units. The initial average number of units in a class is thus $n(0)/N(0)$.

Assumption 2. At each time step, a new unit is created. Thus, the number of units at time t is $n(t) = n(0) + t$.

Assumption 3. With birth probability b , this new unit is assigned to a new class so that the average number of classes at time t is $N(t) = N(0) + bt$.

Assumption 4. With probability $1 - b$, a new unit is assigned to an existing class α with probability $P_\alpha = (1 - b) K_\alpha(t)/n(t)$, so $K_\alpha(t + 1) = K_\alpha(t) + 1$.

For simplicity, we do not consider the decrease of the number of units in a class. In reality, elementary units enter and exit. Because we are considering the case of a growing economy, it is legitimate to assume that the entry rate is higher than the exit rate. On the average, the net entry rate of units can be simplified as a positive constant. In the model, the net entry rate of units is fixed at 1. Thus, at large t , it gives results equivalent to the ones that would have been obtained when considering a value for the exit rate of units.

Our goal is to find $P(K)$, the probability distribution of the number of units in the classes at large t . This model in two limiting cases, (i) $b = 0$, $K_\alpha = 1$ ($\alpha = 1, 2, \dots, N(0)$) and (ii) $b \neq 0$, $N(0) = 1$, $n(0) = 1$, has exact analytical solutions $P(K) = N(0)/t \{t/[t + N(0)]\}^K [1 + O(1/t)]$ (32, 33) and $\lim_{t \rightarrow \infty} P(K) = (1 + b')\Gamma(K)\Gamma(2 + b')/\Gamma(K + 2 + b')$, where $b' = b/(1 - b)$ (34), respectively.

In the general case, the exact analytical solution is not known, and we obtain a numerical solution by computer simulations and compare it with the approximate mean-field solution (see, e.g., chapter 6 of ref. 35 and *Appendix A*).

Our results are consistent with the exactly solvable limiting cases as well as with the empirical data on the number of products in the pharmaceutical firms and can be summarized as follows. In the limit

Conflict of interest statement: No conflicts declared.

This paper was submitted directly (Track II) to the PNAS office.

Abbreviations: PDF, probability density function; PHID, pharmaceutical industry database; GDP, gross domestic product.

[†]To whom correspondence may be addressed. E-mail: dffu@bu.edu or hes@bu.edu.

© 2005 by The National Academy of Sciences of the USA




Fig. 1. Schematic representation of the model of proportional growth. At time $t = 0$, there are $N(0) = 2$ classes (\square) and $n(0) = 5$ units (\circ) (Assumption 1). The area of each circle is proportional to the size ξ of the unit, and the size of each class is the sum of the areas of its constituent units (see Assumption 5). At the next time step, $t = 1$, a new unit is created (Assumption 2). With probability b the new unit is assigned to a new class (class 3 in this example) (Assumption 3). With probability $1 - b$ the new unit is assigned to an existing class with probability proportional to the number of units in the class (Assumption 4). In this example, a new unit is assigned to class 1 with probability $3/5$ or to class 2 with probability $2/5$. Finally, at each time step, every unit i grows or shrinks by a random factor η_i (Assumption 6).

of large t , the distribution of K in the old classes that existed at $t = 0$ converges to an exponential distribution (36),

$$P_{\text{old}}(K) = \lambda^K \frac{1}{K(t) - 1} \approx \frac{1}{K(t)} \exp[-K/K(t)], \quad [1]$$

where $\lambda = 1 - 1/K(t)$ and $K(t)$ is the average number of units in the old classes at time t , $K(t) = \{[n(0) + t]n(0)\}^{1-b} n(0)^b / N(0)$. The distribution of units in the new classes created at $t > 0$ converges to a power law with an exponential cutoff,

$$P_{\text{new}}(K) \sim K^{-\varphi} f(K), \quad [2]$$

where $\varphi = 2 + b/(1 - b)$ and $f(K)$ decays for $K \rightarrow \infty$ faster than $P_{\text{old}}(K)$. The distribution of units in all classes is given by

$$P(K) = \frac{N(0)}{N(0) + bt} P_{\text{old}}(K) + \frac{bt}{N(0) + bt} P_{\text{new}}(K). \quad [3]$$

The mean-field approximation for $P_{\text{new}}(K)$ is given by

$$P_{\text{new}}(K) \approx \frac{n(0)/t + 1}{1 - b} K^{[-1/(1-b)-1]} \int_{K'}^K e^{-y} y^{\frac{1}{1-b}} dy, \quad [4]$$

where $K' = K\{n(0)/[n(0) + t]\}^{1-b}$.

Assumption 5. At time t , each class α has $K_\alpha(t)$ units of size $\xi_i(t)$, $i = 1, 2, \dots, K_\alpha(t)$, where K_α and $\xi_i > 0$ are independent random variables taken from the distributions $P(K_\alpha)$ and $P_\xi(\xi_i)$, respectively. $P(K_\alpha)$ is defined by Eq. 3 and $P_\xi(\xi_i)$ is a given distribution with finite mean μ_ξ and standard deviation σ_ξ . We also assume that $\ln \xi_i$ has finite mean $m_\xi = \langle \ln \xi_i \rangle$ and variance $V_\xi = \langle (\ln \xi_i)^2 \rangle - \mu_\xi^2$. The size of a class is defined as $S_\alpha(t) \equiv \sum_{i=1}^{K_\alpha} \xi_i(t)$.

Assumption 6. At time $t + 1$, the size of each unit is decreased or increased by a random factor $\eta_i(t) > 0$ so that

$$\xi_i(t + 1) = \xi_i(t) \eta_i(t), \quad [5]$$

where $\eta_i(t) > 0$, the growth rate of unit i , is an independent random variable taken from a distribution $P_\eta(\eta_i)$, which has a finite mean μ_η and standard deviation σ_η . We also assume that $\ln \eta_i$ has finite mean $m_\eta = \langle \ln \eta_i \rangle$, and variance $V_\eta \equiv \langle (\ln \eta_i)^2 \rangle - m_\eta^2$.

The growth rate of each class is defined as

$$g_\alpha \equiv \log \left[\frac{S_\alpha(t + 1)}{S_\alpha(t)} \right] = \log \left[\frac{\sum_{i=1}^{K_\alpha} \xi_i(t + 1)}{\sum_{i=1}^{K_\alpha} \xi_i(t)} \right]. \quad [6]$$

Here we neglect the influx of the new units, so $K_\alpha = K_\alpha(t + 1) = K_\alpha(t)$. The resulting distribution of the growth rates of all classes is determined by

$$P_g(g) \equiv \sum_{K=1}^{\infty} P(K) P_g(g|K), \quad [7]$$

where $P(K)$ is the distribution of the number of units in the classes, computed in the previous stage of the model, and $P_g(g|K)$ is the conditional distribution of growth rates of classes with a given number of units determined by the distribution $P_\xi(\xi)$ and $P_\eta(\eta)$.

The analytical solution of this model can be obtained only for certain limiting cases, but a numerical solution can be computed easily for any set of assumptions. We investigate the model numerically and analytically (see Appendix B) and find:

1. The conditional distribution of the logarithmic growth rates $P_g(g|K)$ for the firms consisting of a fixed number of units converges to a Gaussian distribution for $K \rightarrow \infty$,

$$P_g(g|K) \approx \frac{\sqrt{K}}{\sqrt{2\pi V}} \exp[(g - \bar{g})^2 K / 2V], \quad [8]$$

where V is a function of parameters of the distribution $P_\xi(\xi)$ and $P_\eta(\eta)$, and \bar{g} is the logarithm of mean growth rate of a unit, $\bar{g} = \ln \mu_\eta$. Thus, the width of this distribution decreases as $1/\sqrt{K}$. This result is consistent with the observation that large firms with many production units fluctuate less than small firms (7, 18, 22, 37).

2. For $g \gg V_\eta$, the distribution $P_g(g)$ coincides with the distribution of the logarithms of the growth rates of the units:

$$P_g(g) \approx P_\eta(\ln \eta). \quad [9]$$

In the case of power-law distribution $P(K) \sim K^{-\varphi}$, which dramatically increases for $K \rightarrow 1$, the distribution $P_g(g)$ is dominated by the growth rates of classes consisting of a single unit $K = 1$; thus, the distribution $P_g(g)$ practically coincides with $P_\eta(\ln \eta_i)$ for all g . Indeed, our empirical observations confirm this result.

3. If the distribution $P(K) \sim K^{-\varphi}$, $\varphi > 2$ for $K \rightarrow \infty$, as happens in the presence of the influx of new units $b \neq 0$, $P_g(g) = C_1 - C_2 |g|^{2\varphi-3}$, for $g \rightarrow 0$, which in the limiting case $b \rightarrow 0$, $\varphi \rightarrow 2$ gives the cusp $P_g(g) \sim C_1 - C_2 |g|$ (C_1 and C_2 are positive constants), similar to the behavior of the Laplace distribution $P_L(g) \sim \exp(-|g|C_2)$ for $g \rightarrow 0$.
4. If the distribution $P(K)$ weakly depends on K for $K \rightarrow 1$, the distribution of $P_g(g)$ can be approximated by a power law of g : $P_g(g) \sim |g|^{-3}$ in wide range $\sqrt{V}/K(t) \ll g \ll \sqrt{V_\eta}$, where $K(t)$ is the average number of units in a class. This case is realized for $b = 0$, $t \rightarrow \infty$ when the distribution of $P(K)$ is dominated by the exponential distribution and $K(t) \rightarrow \infty$ as defined by Eq. 1. In this particular case, $P_g(g)$ for $g \ll \sqrt{V}$ can be approximated by




Fig. 3. Empirical tests of Eq. 12 for the PDF $P_g(g)$ of growth rates rescaled by $\sqrt{V_g}$. Shown are country GDP (\circ), pharmaceutical firms (\square), manufacturing firms (\diamond), and pharmaceutical products (\triangle). The shapes of $P_g(g)$ for all four levels of aggregation are well approximated by the PDF predicted by the model (dashed lines). Dashed lines are obtained based on Eq. 12 with $V_g \approx 4 \times 10^{-4}$ for GDP, $V_g \approx 0.014$ for pharmaceutical firms, $V_g \approx 0.019$ for manufacturing firms, and $V_g \approx 0.01$ for products. After rescaling, the four PDFs can be fit by the same function. For clarity, the pharmaceutical firms are offset by a factor of 10^2 , manufacturing firms by a factor of 10^4 , and the pharmaceutical products by a factor of 10^6 . Note that the data for pharmaceutical products extend from $P_g(g) = 1$ to $P_g(g) \approx 10^{-4}$, and the mismatch in the tail parts is because $P_g(g)$ for large g is mainly determined by the logarithmic growth rates of units $\ln \eta$.

empirical values for the PHID $\mu_\xi = 3.44$, $V_\xi = 5.13$, $\mu_\eta = 0.016$, $V_\eta = 0.36$ and assuming log-normality of the distributions $P_\xi(\xi)$ and $P_\eta(\eta)$, we find that the behavior of σ can be well approximated by a power law $\sigma \sim K^{-0.20}$ for $K < 10^5$. For this set of parameters, the convergence of $P_g(g|K)$ to a Gaussian distribution takes place only for $K > 10^5$. This result is consistent with the observations of the power-law relationship between firm size and growth-rate variance reported earlier (13, 18, 19, 38).

Discussion

Business firms grow in scale and scope. The scope of a firm is given by the number of its products. The scale of a firm is given by the size




Fig. 4. Empirical test of Eq. 12 for the central part in the PDF $P(g)$ of growth rates rescaled by $\sqrt{V_g}$. Shown are four symbols: country GDP (\circ), pharmaceutical firms (\square), manufacturing firms (\diamond), and pharmaceutical products (\triangle). The shape of central parts for all four levels of aggregation can be well fit by a Laplace distribution (dashed lines). Note that Laplace distribution can fit $P_g(g)$ only over a restricted range, from $P_g(g) = 1$ to $P_g(g) \approx 10^{-1}$.




Fig. 5. Empirical tests of Eq. 12 for the tail parts of the PDF of growth rates rescaled by $\sqrt{V_g}$. The asymptotic behavior of g at any level of aggregation can be well approximated by power laws with exponents $\zeta \approx 3$ (dashed lines). The symbols are as follows: country GDP (left tail, \circ ; right tail, \bullet), pharmaceutical firms (left tail, \square ; right tail, \blacksquare), manufacturing firms (left tail, \diamond ; right tail, \blacklozenge), and pharmaceutical products (left tail, \triangle ; right tail, \blacktriangle).

of its products. A firm such as Microsoft gets few big products, whereas Amazon sells a huge variety of goods, each of small size in terms of sales. In this article we argue that both mechanisms of growth are proportional. The number of products that a firm can launch successfully is proportional to the number of products that it has already commercialized. Once a product has been launched, its success depends on the number of customers who buy it and the price they are willing to pay. To a large extent, if products are different enough, the success of a product is independent from other products commercialized by the same company. Hence, the sales of products can be modeled as independent stochastic processes. Moreover, sometimes, new products are commercialized by new companies. As a result, small companies with few products can experience sudden jerks of growth resulting from the successful launch of a new product.

In this article, we find that the empirical distribution of firm growth rates exhibits a central part that is distributed according to a Laplace distribution and power-law wings $P_g(g) \sim g^{-\zeta}$, where $\zeta = 3$. If the distribution of number of units K is dominated by single-unit classes, the tails of firm growth distribution are primarily due to smaller firms composed of one or few products. The Laplace center of the distribution is shaped by big multiproduct firms. We find that the shape of the distribution of firm growth is almost the same in the presence of a small entry rate and with zero entry. We also find that the predictions of the model are accurate in the case of product growth rates, which implies that products can be considered as composed of elementary sale units, which evolve according to a random multiplicative process (6). Although there are several plausible explanations for the Laplace body of the distribution, which can be considered as an unconditional object (18, 31), the power-law decay of the tails has not been observed previously. We introduce a simple and general model that accounts for both the central part and the tails of the distribution. The shape of the business growth-rate distribution is due to the proportional growth of both the number and the size of the constituent units in the class. This result holds in the case of an open economy (with entry of new firms) as well as in the case of a closed economy (with no entry of new firms).

Appendix A: The Distribution of Units in Old and New Classes

Assume that at the beginning there are $N(0)$ classes with $n(0)$ units. Because at every time step one unit is added to the system and a new class is added with probability b , at moment t there are $n(t) = n(0) +$

t units and $N(t) = N(0) + bt$ classes, among which there are bt new classes with n_{new} units and $N(0)$ old classes with n_{old} units, such that $n_{\text{old}} + n_{\text{new}} = n(0) + t$.

Because of the preferential attachment assumption, we have

$$\frac{dn_{\text{new}}}{dt} = b + (1 - b) \frac{n_{\text{new}}}{n(0) + t}, \quad \text{[A1]}$$

$$\frac{dn_{\text{old}}}{dt} = (1 - b) \frac{n_{\text{old}}}{n(0) + t}. \quad \text{[A2]}$$

Solving the second differential equation and taking into account initial condition $n_{\text{old}}(0) = n(0)$, we obtain

$$n_{\text{old}}(t) = [n(0) + t]^{1-b} n(0)^b. \quad \text{[A3]}$$

Analogously, the number of units at time t in the classes existing at time t_0 is $n_e(t_0, t) = [n(0) + t]^{1-b} [n(0) + t_0]^b$, where the subscript e means "existing." The average number of units in old classes is

$$K(t) = \frac{n_{\text{old}}(t)}{N(0)} = \frac{[n(0) + t]^{1-b}}{N(0)} n(0)^b. \quad \text{[A4]}$$

It is known (36) that for $t \rightarrow \infty$ the preferential attachment model converges to the exponential distribution Eq. 1. Thus, we obtain $P_{\text{old}}(K)$ in the form of Eq. 1 where $K(t)$ is given by Eq. A4.

The number of units in the classes that appear at t_0 is bdt , and the number of these classes is bdt . Because the probability that a class captures a new unit is proportional to the number of units it has already gotten at time t , the number of units at time t in the classes that appear at time t_0 is $n_{\text{new}}(t_0, t) = n_e(t_0, t) \cdot bdt / [n(0) + t_0]$.

The average number of units in these classes is $K(t_0, t) = n_{\text{new}}(t_0, t) / bdt = [n(0) + t]^{1-b} / [n(0) + t_0]^{1-b}$. Assuming that the distribution of units in these classes is given by a continuous approximation in Eq. 1, their contribution to the total distribution is

$$\frac{bdt_0}{N(0) + bt} \frac{1}{K(t_0, t)} \exp[-K/K(t_0, t)].$$

The contribution of all new classes to the distribution $P(K)$ is

$$\tilde{P}_{\text{new}}(K) \approx \frac{b}{N(0) + bt} \int_0^t \frac{1}{K(t_0, t)} \exp[-K/K(t_0, t)] dt_0. \quad \text{[A5]}$$

If we let $y = K/K(t_0, t)$, then $\tilde{P}_{\text{new}}(K) = bt / [N(0) + bt] P_{\text{new}}(K)$, where

$$P_{\text{new}}(K) \approx \frac{b}{1 - b} K^{\left(-\frac{1}{1-b}-1\right)} \frac{n(0) + t}{N(0) + bt} \cdot \int_0^K e^{-y} y^{\frac{1}{1-b}} dy. \quad \text{[A6]}$$

Note that Eq. A6 is not an exact solution but a continuous approximation that assumes K is a real number. Now we investigate the distribution in Eq. A6.

1. At fixed K when $t \rightarrow \infty$, the low limit of integration in Eq. A6 goes to zero and we have

$$P_{\text{new}}(K) = \frac{K^{-1-\frac{1}{1-b}}}{1 - b} \cdot \int_0^K e^{-y} y^{\frac{1}{1-b}} dy. \quad \text{[A7]}$$

As $K \rightarrow \infty$,

$$P_{\text{new}}(K) = K^{-1-\frac{1}{b}} \left(\frac{1}{1-b} \right) \Gamma \left(1 + \frac{1}{1-b} \right). \quad \text{[A8]}$$

As $K \rightarrow 0$, $P_{\text{new}}(K) = 1/(2 - b)$.

2. At fixed t when $K \rightarrow \infty$, we use the partial integration to evaluate the incomplete Γ function: $\Gamma(x, \alpha+1) \approx e^{-x} x^\alpha$. Therefore, from Eq. A6 we obtain

$$P_{\text{new}}(K) = \frac{n(0)}{N(0) + bt} \frac{b}{1-b} \frac{1}{K} \exp \left\{ -K \left[\frac{n(0)}{n(0) + t} \right]^{1-b} \right\}, \quad \text{[A9]}$$

which always decays faster than $P_{\text{old}}(K)$.

Appendix B: Calculation of the Growth Distribution of Classes $P(g)$

Let us assume that both the size and growth of units (ξ_i and η_i , respectively) are distributed log-normally

$$p(\xi_i) = \frac{1}{\sqrt{2\pi} V_\xi} \frac{1}{\xi_i} \exp[-(\ln \xi_i - m_\xi)^2 / 2V_\xi], \quad \text{[A10]}$$

$$p(\eta_i) = \frac{1}{\sqrt{2\pi} V_\eta} \frac{1}{\eta_i} \exp[-(\ln \eta_i - m_\eta)^2 / 2V_\eta]. \quad \text{[A11]}$$

If units grow according to a multiplicative process, the size of units $\xi'_i = \xi_i \eta_i$ is distributed log-normally with $V_{\xi'} = V_\xi + V_\eta$ and $m_{\xi'} = m_\xi + m_\eta$.

The n th moment of the variable x distributed log-normally is given by

$$\mu_x(n) = \exp(nm_x + n^2 V_x / 2). \quad \text{[A12]}$$

Thus, its mean is $\mu_x \equiv \mu_x(n=1) = \exp(m_x + V_x/2)$ and its variance is $\sigma_x^2 \equiv \mu_2 - \mu_1^2 = \mu_1^2 [\exp(V_x) - 1]$.

Let us now find the distribution of g growth rate of classes. It is defined as

$$g \equiv \ln \frac{S(t+1)}{S(t)} = \ln \sum_{i=1}^K \xi'_i - \ln \sum_{i=1}^K \xi_i. \quad \text{[A13]}$$

Here we neglect the influx of new units. According to the central-limit theorem, the sum of K independent random variables with mean $\mu_\xi \equiv \mu_\xi(1)$ and finite variance σ_ξ^2 is

$$\sum_{i=1}^K \xi_i = K\mu_\xi + \sqrt{K} v_K, \quad \text{[A14]}$$

where v_K is the random variable with the distribution converging to Gaussian

$$\lim_{K \rightarrow \infty} P(v_K) \rightarrow \frac{1}{\sqrt{2\pi\sigma_\xi^2}} \exp(-v_K^2 / 2\sigma_\xi^2). \quad \text{[A15]}$$

Because $\ln \mu_\eta = m_\eta + V_\eta/2$ and $\ln \mu_{\xi'} = \ln \mu_\xi + \ln \mu_\eta$, we have, after some algebra,

$$g = m_\eta + \frac{V_\eta}{2} + \frac{v'_K \mu_\xi - v_K \mu_{\xi'}}{\sqrt{K} \mu_\xi \mu_{\xi'}}. \quad \text{[A16]}$$

For large K the last term in Eq. A16 is the difference of two Gaussian variables, and that is a Gaussian variable itself. To find the distribution of g we must find its mean and variance. After some algebra,

$$g = m_\eta + \frac{V_\eta}{2} + \frac{\sum_{i=1}^K \xi_i (\eta_i - \mu_\eta)}{K \mu_{\xi'}} \quad \text{[A17]}$$

Because $\mu_{\xi'} = \mu_{\xi} \mu_\eta$, the average of each term in the sum is $\mu_{\xi'} - \mu_{\xi} \mu_\eta = 0$. The variance of each term in the sum is $\langle (\xi_i \eta_i)^2 \rangle - \langle 2 \xi_i^2 \eta_i \mu_\eta \rangle + \langle \xi_i^2 \mu_\eta^2 \rangle$, where $\xi_i \eta_i$, $\xi_i^2 \eta_i$, and ξ_i^2 are all log-normal independent random variables. Particularly, $(\xi_i \eta_i)^2$ is log-normal with $V = 4V_\eta + 4V_\xi$ and $m = 2m_\eta + 2m_\xi$; $\xi_i^2 \eta_i$ is log-normal with $V = 4V_\xi + V_\eta$ and $m = 2m_\xi + m_\eta$; ξ_i^2 is log-normal with $V = 4V_\xi$ and $m = 2m_\xi$. Using Eqs. A12 and A17 and collecting all the terms, we find the variance of g : $V = \sigma_g^2 = V/K$, where

$$V = \exp(V_\xi) [\exp(V_\eta) - 1]. \quad \text{[A18]}$$

Therefore, for large K , g has a Gaussian distribution with mean $\bar{g} = m_\eta + V_\eta/2$ and variance V/K .

The distribution of the growth rate of the old classes can be found by Eq. 7. To find a close form approximation, we replace the summation in Eq. 7 by integration and replace the distributions $P(K)$ by Eq. 1 and $P(g)$ by Eq. 8 as follows, assuming $\bar{g} = 0$.

$$\begin{aligned} P_{\text{old}}(g) &\approx \frac{1}{\sqrt{2\pi V}} \int_0^\infty \frac{1}{K(t)} \exp\left[\frac{-K}{K(t)}\right] \exp\left(-\frac{g^2 K}{2V}\right) \sqrt{K} dK, \\ &= \frac{\sqrt{K(t)}}{2\sqrt{2V}} \left[1 + \frac{K(t)}{2V} g^2\right]^{-\frac{3}{2}}, \end{aligned} \quad \text{[A19]}$$

where $K(t)$ is the average number of units in the old classes (see Eq. A4). This distribution decays as $1/g^3$ and thus does not have finite variance. In fact, we approximate the distribution of number of units in the old classes by a continuous function $\exp[-K/K(t)]/K(t)$, although in reality it is a discrete distribution, $P_{\text{old}}(K) = \lambda^K (1/\lambda - 1)$, where $\lambda = \exp[-1/K(t)]$. The corrected distribution of growth rates is then given by the sum

$$P_{\text{old}}(g) \approx \frac{1}{\sqrt{2\pi V}} \frac{1 - \lambda}{\lambda} \sum_{K=1}^\infty \lambda^K \sqrt{K} \exp(-g^2 K/2V). \quad \text{[A20]}$$

The slowest decaying term is $(1 - \lambda)/\sqrt{2\pi V} \exp(-g^2/2V)$, which describes the behavior of the distribution when $g \rightarrow \infty$. Thus, there is a crossover when $g \approx \sqrt{2V}$.

For the new classes, when $t \rightarrow \infty$ the distribution of number of units is approximated by Eq. A7. Again replacing summation in Eq. 7 by integration and replacing $P(g|K)$ by Eq. 8 and after switching the order of integration, we have $P_{\text{new}}(g) = P_g(g)$ defined in Eq. 11. As $g \rightarrow \infty$, we can evaluate the second integral in Eq. 11 by partial integration:

$$P_{\text{new}}(g) \approx \frac{1}{1-b} \frac{1}{\sqrt{2\pi V}} \frac{2V}{g^2} \frac{\sqrt{\pi}}{\sqrt{g^2/2V + 1}} \sim \frac{1}{g^3}. \quad \text{[A21]}$$

We compute the first derivative of the distribution defined in Eq. 11 by differentiating the integrand in the second integral with respect to g . The second integral converges as $y \rightarrow 0$, and we find the behavior of the derivative for $g \rightarrow 0$ by the substitution $K^* = Kg^2/(2V)$. As $g \rightarrow 0$, the derivative behaves as $g \cdot g^{2[-3/2+1/(1-b)]} \sim g^{2b/(1-b)}$, which means that the function itself behaves as $C_2 - C_1 |g|^{2b/(1-b)+1}$, where C_2 and C_1 are positive constants. For small b , this behavior is similar to the behavior of a Laplace distribution with variance V : $\exp(-\sqrt{2}|g|/\sqrt{V})/\sqrt{2V} = 1/\sqrt{2V} - |g|/V$.

When $b \rightarrow 0$, Eq. 11 can be simplified and, after some elementary calculus, we have Eq. 12, which behaves for $g \rightarrow 0$ as $1/\sqrt{2V} - |g|/V$ and for $g \rightarrow \infty$ as $V/(2g^3)$. Thus, the distribution is well approximated by a Laplace distribution in the body with power-law tails. Because of the discrete nature of the distribution of the number of units, when $g \gg \sqrt{2V}$, the behavior for $g \rightarrow \infty$ is dominated by $\text{const} \cdot \exp(-g^2/2V)$.

We thank S. Havlin, J. Nagler, and F. Wang for helpful discussions and suggestions. We thank the National Science Foundation and Merck Foundation (EPRI program) for financial support.

- Gibrat, R. (1930) *Bull. Stat. Gén.* **19**, 469.
- Gibrat, R. (1931) *Les Inégalités Économiques* (Librairie du Recueil Sirey, Paris).
- Kapteyn, J. & Uven, M. J. (1916) *Skew Frequency Curves in Biology and Statistics* (Hoitsema Brothers, Groningen).
- Zipf, G. (1949) *Human Behavior and the Principle of Least Effort* (Addison-Wesley, Cambridge, MA).
- Gabaix, X. (1999) *Q. J. Econ.* **114**, 739–767.
- Steindl, J. (1965) *Random Processes and the Growth of Firms: A Study of the Pareto Law* (Griffin, London).
- Sutton, J. (1997) *J. Econ. Lit.* **35**, 40–59.
- Kalecki, M. (1945) *Econometrica* **13**, 161–170.
- Simon, H. A. (1955) *Biometrika* **42**, 425–440.
- Simon, H. A. & Bonini, C. P. (1958) *Am. Econ. Rev.* **48**, 607–617.
- Ijiri, Y. & Simon, H. A. (1975) *Proc. Natl. Acad. Sci. USA* **72**, 1654–1657.
- Ijiri, Y. & Simon, H. A. (1977) *Skew Distributions and the Sizes of Business Firms* (North-Holland, Amsterdam).
- Stanley, M. H. R., Amaral, L. A. N., Buldyrev, S. V., Havlin, S., Leschhorn, H., Maass, P., Salinger, M. A. & Stanley, H. E. (1996) *Nature* **379**, 804–806.
- Lee, Y., Amaral, L. A. N., Canning, D., Meyer, M. & Stanley, H. E. (1998) *Phys. Rev. Lett.* **81**, 3275–3278.
- Plerou, V., Amaral, L. A. N., Gopikrishnan, P., Meyer, M. & Stanley, H. E. (1999) *Nature* **433**, 433–437.
- Bottazzi, G., Dosi, G., Lippi, M., Pammolli, F. & Riccaboni, M. (2001) *Int. J. Ind. Org.* **19**, 1161–1187.
- Matia, K., Fu, D., Buldyrev, S. V., Pammolli, F., Riccaboni, M. & Stanley, H. E. (2004) *Europhys. Lett.* **67**, 498–503.
- Amaral, L. A. N., Buldyrev, S. V., Havlin, S., Leschhorn, H., Maass, P., Salinger, M. A., Stanley, H. E. & Stanley, M. H. R. (1997) *J. Phys. I [French]* **7**, 621–633.
- Buldyrev, S. V., Amaral, L. A. N., Havlin, S., Leschhorn, H., Maass, P., Salinger, M. A., Stanley, H. E. & Stanley, M. H. R. (1997) *J. Phys. I [French]* **7**, 635–650.
- Sutton, J. (2002) *Physica A* **312**, 577–590.
- Fabritius, G. D., Pammolli, F. & Riccaboni, M. (2003) *Physica A* **324**, 38–44.
- Amaral, L. A. N., Buldyrev, S. V., Havlin, S., Salinger, M. A. & Stanley, H. E. (1998) *Phys. Rev. Lett.* **80**, 1385–1388.
- Takayasu, H. & Okuyama, K. (1998) *Fractals* **6**, 67–79.
- Canning, D., Amaral, L. A. N., Lee, Y., Meyer, M. & Stanley, H. E. (1998) *Econ. Lett.* **60**, 335–341.
- Buldyrev, S. V., Dokholyan, N. V., Erramilli, S., Hong, M., Kim, J. Y., Malessio, G. & Stanley, H. E. (2003) *Physica A* **330**, 653–659.
- Kalecki, M. R. (1945) *Econometrica* **13**, 161–170.
- Mansfield, D. E. (1962) *Am. Econ. Rev.* **52**, 1024–1051.
- Hall, B. H. (1987) *J. Ind. Econ.* **35**, 583–606.
- Reed, W. J. (2001) *Econ. Lett.* **74**, 15–19.
- Reed, W. J. & Hughes, B. D. (2002) *Phys. Rev. E Stat. Phys. Plasmas Fluids Relat. Interdiscip. Top.* **66**, 067103.
- Kotz, S., Kozubowski, T. J. & Podgórski, K. (2001) *The Laplace Distribution and Generalizations: A Revisit with Applications to Communications, Economics, Engineering, and Finance* (Birkhauser, Boston).
- Johnson, N. L. & Kotz, S. (1977) *Urn Models and Their Applications* (Wiley, New York).
- Kotz, S., Mahmoud, H. & Robert, P. (2000) *Stat. Probab. Lett.* **49**, 163–173.
- Reed, W. J. & Hughes, B. D. (2004) *Math. Biosci.* **189**(1), 97–102.
- Stanley, H. E. (1971) *Introduction to Phase Transitions and Critical Phenomena* (Oxford Univ. Press, Oxford).
- Cox, D. R. & Miller, H. D. (1968) *The Theory of Stochastic Processes* (Chapman & Hall, London).
- Hymers, S. & Pashigian, P. (1962) *J. Polit. Econ.* **70**, 556–569.
- Matia, K., Amaral, L. A. N., Luwel, M., Moed, H. F. & Stanley, H. E. (2005) *J. Am. Soc. Inf. Sci. Technol.* **56**, 893–902.