

Percolation of interdependent networks with intersimilarity

Yanqing Hu,^{1,2} Dong Zhou,^{3,4,*} Rui Zhang,² Zhangang Han,³ Céline Rozenblat,⁵ and Shlomo Havlin⁴

¹*School of Mathematics, Southwest Jiaotong University, Chengdu 610031, China*

²*Levich Institute and Physics Department, City College of New York, New York, New York 10031, USA*

³*Department of Systems Science, Beijing Normal University, Beijing 100875, China*

⁴*Physics Department, Bar-Ilan University, Ramat Gan 52900, Israel*

⁵*Institute of Geography, University of Lausanne, Lausanne 1015, Switzerland*

(Received 20 June 2013; revised manuscript received 5 September 2013; published 7 November 2013)

Real data show that interdependent networks usually involve intersimilarity. Intersimilarity means that a pair of interdependent nodes have neighbors in both networks that are also interdependent [Parshani *et al.* *Europhys. Lett.* **92**, 68002 (2010)]. For example, the coupled worldwide port network and the global airport network are intersimilar since many pairs of linked nodes (neighboring cities), by direct flights and direct shipping lines, exist in both networks. Nodes in both networks in the same city are regarded as interdependent. If two neighboring nodes in one network depend on neighboring nodes in the other network, we call these links common links. The fraction of common links in the system is a measure of intersimilarity. Previous simulation results of Parshani *et al.* suggest that intersimilarity has considerable effects on reducing the cascading failures; however, a theoretical understanding of this effect on the cascading process is currently missing. Here we map the cascading process with intersimilarity to a percolation of networks composed of components of common links and noncommon links. This transforms the percolation of intersimilar system to a regular percolation on a series of subnetworks, which can be solved analytically. We apply our analysis to the case where the network of common links is an Erdős-Rényi (ER) network with the average degree K , and the two networks of noncommon links are also ER networks. We show for a fully coupled pair of ER networks, that for any $K \geq 0$, although the cascade is reduced with increasing K , the phase transition is still discontinuous. Our analysis can be generalized to any kind of interdependent random network systems.

DOI: [10.1103/PhysRevE.88.052805](https://doi.org/10.1103/PhysRevE.88.052805)

PACS number(s): 89.75.Hc, 89.75.Fb, 64.60.ah

I. INTRODUCTION

Single isolated networks have been extensively studied in the past decade [1–14]. Recently, much interest has been devoted to interdependent networks [15–27], which can model some real world catastrophic events, such as the electrical blackout in Italy on 28 September 2003 [28] and the US-Canada power system outage on 14 August 2003 [29]. Failures of a small number of power stations can cause further malfunction of nodes in their communication control network, which in turn leads to the shutdown of power stations [15,28]. This cascading process continues until no more nodes fail due to percolation or due to interdependence failures. In contrast to single networks where the percolation transition is continuous, in interdependent networks the transition is abrupt [15,16].

Real interdependent networks are sometimes coupled according to some intersimilarity features. Intersimilarity means the tendency of neighboring nodes in one network to be interdependent of neighboring nodes in the other network. Such coupled networks are more robust against cascading failures than randomly coupled interdependent networks. To quantify self-similarity, Parshani *et al.* introduced the interclustering coefficient (ICC), which measures the average number of common links per pair of interdependent nodes [30]. Common links are defined as follows: Given two coupled networks A and B , and two nodes a_k and a_l which are linked in A , if their interdependent counterparts b_k (corresponds to

a_k) and b_l (corresponds to a_l) in B are also linked (in B), this pair of links is called a common link. Common links can be interpreted as follows: if two nodes in one network are linked, the tendency (probability) of their interdependent counterparts in the other network to be linked is a measure of the intersimilarity. Thus, the density of the common links reflects the intersimilarity of the two networks. In the extreme case where every pair of links is a common link, the two networks are identical. In this case no cascading failure will occur, since a failure in network A will cause an identical failure in B and there will be no cascading failure feedback to A . It is therefore expected that the more common links appear in the coupled networks system, the more robust it becomes. In the example of the coupled worldwide port network and the airline network, illustrated in Fig. 1, the fraction of common links is 0.12 for the port network and 0.18 for the airline network [30]. Therefore, developing a method to analyze cases where certain common topologies exist in the interdependent networks can help to understand the vulnerabilities of coupled complex systems in the real world as well as for designing robust infrastructures.

In this paper we introduce a method to analytically calculate the cascading process of failures in interdependent networks with common links. To analyze this problem, we consider the cluster components of the network composed of only common links after the initial attack. We will illustrate that all nodes in such a component will survive or fail simultaneously during the cascading process. Based on this fundamental feature, we divide the system into subnetworks according to the sizes of the components, and then contract all nodes in each component into a single node. After contraction, the system degenerates

*zhoudongbnu@gmail.com




FIG. 1. (Color online) Common links in the interdependent geographic worldwide port network and the global airport network system. In the coupled network system, we identify common links if neighboring nodes (cities with direct transportation lines) in one network are also neighbors in the other network. For clarity, in the figure, 200 nodes are randomly chosen, and only common links attached to these nodes are plotted as solid (red) lines. Cities are shown as (blue) dots. Because two types of nodes (ports and airports) approximately correspond to the same cities, we just use single dots to denote them in the worldwide map.

into two randomly coupled networks without common links, which will be solved analytically. Here we find the exact solution for the case where A and B are fully interdependent Erdős-Rényi (ER) networks each of average degree k and the network of common links is also an ER network with the average degree K . In this case we show that the interdependent networks system undergoes a first order transition for all $K \geq 0$.

The paper is organized as follows. In Sec. II we introduce the model of cascading failures in interdependent networks with common links. In Sec. III we analyze the cascading process and the final state. In Sec. IV we derive the theoretical solutions using multivariable generating functions. In Sec. V we show the first order transition for both the general case and the special case where common links form an ER network.

II. THE MODEL

For simplicity and without loss of generality we analyze the percolation process in a system of two fully interdependent networks A and B of the same size N with no-feedback

condition [21] in the presence of common links. The no-feedback means that each A node a_k has one and only one dependency counterpart b_k in network B , and b_k must depend only on a_k . Initially, a fraction $1 - p$ of A nodes are removed randomly. Due to interdependency, a corresponding fraction of B nodes also fail. We denote by A_0 and B_0 the remaining networks of size $N_0 = pN$. Nodes of A_0 and B_0 are represented by a_i and b_i , respectively, $i = 1, \dots, N_0$, and a_i interdepends on b_i for all $i = 1, 2, \dots, N_0$. The pair (i, j) is a common link if a_i is linked to a_j and b_i is also linked to b_j . We introduce a network C_0 that includes all N_0 nodes but only links that are common links. This means that the nodes c_i and c_j of C_0 will be linked if and only if both a_i, a_j and b_i, b_j are linked. Analogously, we define a network C which is the collection of common links in the original networks A and B . Thus network C reduces to C_0 due to the initial attack. As shown in Fig. 2, we denote \tilde{A}_0 and \tilde{B}_0 to be the networks that are composed of the same N_0 nodes in A_0 and B_0 but only those links which are not common links. Therefore, networks A_0 and B_0 can be written as matrix summations:

$$A_0 = \tilde{A}_0 + C_0, \quad B_0 = \tilde{B}_0 + C_0. \quad (1)$$

We will investigate the robustness of such a system after the initial attack. Notice that when C has no links since there is no common links in this system. This is the case of random coupling studied by Buldyrev *et al.* [15], since the probability to have a common link in random coupling approach to zero for large N . We will provide a method for analyzing the case when network C_0 has a given topological structure. Let $R_0(m), m = 1, 2, \dots, M$ be the component size distribution of C_0 . That is to say, if we randomly choose a node in network C_0 , the probability that it belongs to a component of size m in network C_0 is $R_0(m)$. This distribution is a characterization of both the degree and the structure of intersimilarity of the network. In the simulations, this distribution is used to construct the adjacency matrix of C_0 artificially. We also generate the matrices \tilde{A}_0 and \tilde{B}_0 directly and obtain networks A_0 and B_0 using the matrix addition.

The initial attack leads to failures of some other nodes in A_0 since those nodes will lose connectivity with the giant component A_1 of A_0 (a percolation failure). Consequently, in B_0 , all nodes that depend on those nodes that have been removed in A_0 will fail due to interdependency relations (a dependency failure). We use B_1 to denote the remaining nodes




FIG. 2. (Color online) Decomposition of networks according to the common links. Dots in the upper plane are the nodes from network A_0 and those in the lower plane are the nodes from network B_0 . Interdependent nodes are connected by dashed lines. Solid thick (red) lines are the common links, and other links are shown in solid thin lines. Network C_0 is composed of common links. \tilde{A}_0 and \tilde{B}_0 are the complementary networks with respect to C_0 . a_i and a_j are linked nodes in network A_0 ; their interdependent counterparts b_i and b_j are also linked in network B_0 . Thus the link is a common link and appears in network C_0 .

in B_0 . Then, similarly, a percolation failure will occur in B_1 . This will induce an iterative process of percolation failures and dependency failures in the system [31]. Finally, if no further failure occurs, this cascading process will end with a total collapse or two remaining giant components of the same size. We are interested here in the relationship between p and the size of the final mutual giant component.

Notice that during the cascading process, if a node in a component of C_0 survives, the whole component will survive, and if a node in a component fails, the whole component will fail. Inspired by this basic fact, as shown in Fig. 3, we divide networks A_0 and B_0 respectively according to the component sizes in network C_0 . That is to say, in network A_0 , all those nodes that belong to components of size $m = 1, 2, \dots, M$ in C_0 compose a subnetwork denoted by $A_0^{(m)}$. Here M is the largest component size of network C_0 . Network B_0 can be divided into $B_0^{(m)}$ analogously. In this way the size of each subnetwork $A_0^{(m)}$ or $B_0^{(m)}$ is $N_0^{(m)} = R_0(m)N_0$, where $m = 1, 2, \dots, M$.

As depicted in Fig. 3, we also contract A_0 and B_0 according to the components of network C_0 . In other words, in network A_0 , all m nodes that belong to each component of size m in C_0 are merged into a single new node, and all links connected to at least one of these m nodes are also merged on the new node. All of these merged nodes and links form a contracted network A'_0 with subnetworks




FIG. 3. (Color online) A sketch of the method of dividing and contracting the system after the initial attack. (a) The remaining interdependent networks A_0 and B_0 right after the initial attack. Thick (red) lines are the common links. Other links are shown in (black) solid thin lines. Interdependent nodes are connected by dashed lines. (b) Nodes in the same component of C_0 are contracted. Nodes that are within one circle belong to the same component in network C_0 . Because of the first principle we propose, all the nodes from one component either survive together or die together. Thus the component can be regarded as a super node (if survived). The links between nodes from different components are now links between the two components. (c) The contracted network is further decomposed into subnetworks according to the component size in C_0 . For example, $A'_0(1)$ is the collection of super nodes of component size 1 in A_0 , etc.

$A_0^{(m)}$, $m = 1, 2, \dots, M$. Network B_0 is contracted similarly. In this way the size of each subnetwork $A_0^{(m)}$ or $B_0^{(m)}$ is just the number of components of size m in network C_0 , that is, $N_0^{(m)} = \frac{R_0(m)N_0}{m}$, $m = 1, 2, \dots, M$. And the size of A'_0 or B'_0 is $N'_0 = \sum_{m=1}^M N_0^{(m)} = \sum_{m=1}^M \frac{R_0(m)N_0}{m} = N_0 \sum_{m=1}^M \frac{R_0(m)}{m}$. We denote $\langle m \rangle = (\sum_{m=1}^M \frac{R_0(m)}{m})^{-1}$ as the average component size in C_0 . Thus, we have $N'_0 = \frac{N_0}{\langle m \rangle}$.

As shown in Fig. 3(c), common links do not exist any more in the contracted system, because each common link always lies inside a component of network C_0 . In fact, after the initial attack, the cascading process in the contracted system is equivalent to the cascading on the original system. Therefore, we only need to focus on the cascade process in the contracted system.

III. THEORETICAL APPROACH

Here we exhibit, step by step, the theoretical analysis for the cascading process starting from A'_0 and B'_0 . In the first stage, the size of the remaining functional giant component A'_1 can be obtained using the method proposed by Leicht and D'Souza [32]. We regard A'_0 as a system of M coupled subnetworks $A_0^{(m)}$, $m = 1, 2, \dots, M$. If the degree distribution $p_{A'_0}^{mm'}$ from a randomly chosen node in $A_0^{(m)}$ to all nodes in $A_0^{(m')}$ (called $m \rightarrow m'$ degrees) can be exactly evaluated, then the whole system can be described using multivariable generating functions. Usually, we analyze the cascading process by three steps to obtain the recursive system [15].

We use $g_{A'_0}^{(m)}(p_1, p_2, \dots, p_M)$ to denote the fraction of nodes in the giant component of $A_0^{(m)}$ after randomly removing a fraction $1 - p_{m'}$ of nodes in each subnetwork $A_0^{(m')}$, $m' = 1, 2, \dots, M$. Here we contract the two coupled networks after the initial attacking. It implies that $p_{m'} = 1$ at the beginning of the cascading process on the contracted two coupled networks. Thus, the remaining functional part in each subnetwork is $\psi_1^{(m)} = g_{A'_0}^{(m)}(1, 1, \dots, 1)$ in the first stage. Note that at each time step n during the cascading process, the accumulative failures in networks $A_0^{(m)}$ (or $B_0^{(m)}$) can be equivalently regarded as randomly attacking certain fractions $1 - \psi_n^{(m)}$ (or $1 - \phi_n^{(m)}$) of nodes in networks $A_0^{(m)}$ (or $B_0^{(m)}$), and $\psi_n^{(m)}$ (or $\phi_n^{(m)}$) are used to denote the resulting giant component sizes in $A_0^{(m)}$ (or $B_0^{(m)}$).

The second stage [15] is equivalent to randomly attacking a fraction $1 - \psi_1^{(m)}$ of nodes in each subnetwork $B_0^{(m)}$, $m = 1, 2, \dots, M$. We let $\phi_1^{(m)} = \psi_1^{(m)}$. Therefore, the remaining giant component of B'_0 is $\phi_1^{(m)} = \phi_1^{(m)} g_{B'_0}^{(m)}(\phi_1^{(1)}, \phi_1^{(2)}, \dots, \phi_1^{(M)})$.

The third stage is equivalent to randomly removing a fraction $1 - g_{B'_0}^{(m)}(\phi_1^{(1)}, \phi_1^{(2)}, \dots, \phi_1^{(M)})$ of nodes in $A_0^{(m)}$. We let $\psi_2^{(m)} = g_{B'_0}^{(m)}(\phi_1^{(1)}, \phi_1^{(2)}, \dots, \phi_1^{(M)})$, $m = 1, 2, \dots, M$. Thus, the remaining fraction in A'_0 is $\psi_2^{(m)} = \psi_2^{(m)} g_{A'_0}^{(m)}(\psi_2^{(1)}, \psi_2^{(2)}, \dots, \psi_2^{(M)})$.

Generally, we have $\psi_n^{(m)} = g_{B'_0}^{(m)}(\phi_{n-1}^{(1)}, \phi_{n-1}^{(2)}, \dots, \phi_{n-1}^{(M)})$, and $\psi_n^{(m)} = \psi_n^{(m)} g_{A'_0}^{(m)}(\psi_n^{(1)}, \psi_n^{(2)}, \dots, \psi_n^{(M)})$; $\phi_n^{(m)} = g_{A'_0}^{(m)}(\psi_n^{(1)}, \psi_n^{(2)}, \dots, \psi_n^{(M)})$, and $\phi_n^{(m)} = \phi_n^{(m)} g_{B'_0}^{(m)}(\phi_n^{(1)}, \phi_n^{(2)}, \dots,$

$\phi_n^{(M)}$, $m = 1, 2, \dots, M$. From these we can calculate the giant component sizes in the whole original networks A and B . For example, the fraction of nodes in the giant component of network A is

$$\mu_{A_n} = \frac{\sum_{m=1}^M \psi_n^{(m)} N_0^{(m)} m}{N} = p \sum_{m=1}^M \psi_n^{(m)} R_0(m). \quad (2)$$

In the final stage, where the process of cascading failures ceases, we have $\psi_n^{(m)} = \psi_{n-1}^{(m)} = \phi_n^{(m)} = \phi_{n-1}^{(m)}$ for all m . Let $x_m = \psi_n^{(m)}$, and $y_m = \phi_n^{(m)}$. We arrive a system of x_m and y_m :

$$x_m = g_{A'_0}^{(m)}(y_1, y_2, \dots, y_M), \quad y_m = g_{B'_0}^{(m)}(x_1, x_2, \dots, x_M), \quad (3)$$

where $m = 1, 2, \dots, M$.

IV. ANALYTICAL SOLUTION

This system can be analytically solved using M -variant generating functions. Similar to Ref. [32], for a system of M

interconnected subnetworks $A_0^{(m)}$, we define the generating function for the degree distributions for each subnetwork as

$$G_{A_0}^{(m)}(\xi_1, \xi_2, \dots, \xi_M) = \sum_{k_1, k_2, \dots, k_M} p_{k_1, k_2, \dots, k_M}^{(m)} \xi_1^{k_1} \xi_2^{k_2} \dots \xi_M^{k_M}, \quad (4)$$

where $p_{k_1, k_2, \dots, k_M}^{(m)}$ is the probability that a randomly chosen node in $A_0^{(m)}$ has $k_{m'} m \rightarrow m'$ degrees. Moreover, the generating function for the underlying branching processes for each subnetwork is

$$G_{A_0}^{(mm')}(\xi_1, \xi_2, \dots, \xi_M) = \frac{\frac{\partial}{\partial \xi_{m'}} G_{A_0}^{(m)}(\xi_1, \xi_2, \dots, \xi_M)}{\frac{\partial}{\partial \xi_{m'}} G_{A_0}^{(m)}(\xi_1, \xi_2, \dots, \xi_M) |_{\xi_1 = \xi_2 = \dots = \xi_M = 1}}, \quad (5)$$

where $m' = 1, 2, \dots, M$. Then the fraction of nodes in the giant component after randomly removing a fraction $1 - p_m$ of nodes in each subnetwork $A_0^{(m)}$ is

$$g_{A'_0}^{(m)}(p_1, p_2, \dots, p_M) = 1 - G_{A_0}^{(m)}(1 - p_1(1 - u_{1m}), 1 - p_2(1 - u_{2m}), \dots, 1 - p_M(1 - u_{Mm})). \quad (6)$$

Here $u_{m'm}$ satisfies

$$u_{m'm} = G_{A_0}^{m'm}(1 - p_1(1 - u_{1m'}), 1 - p_2(1 - u_{2m'}), \dots, 1 - p_M(1 - u_{Mm'})), \quad (7)$$

where $m, m' = 1, 2, \dots, M$. For network B'_0 , we can define the analogous generating functions and obtain similarly the giant component size.

For simplicity, we assume that all $m \rightarrow m'$ degree distributions in A'_0 and B'_0 are Poisson distributions, whose average degrees are $k_{mm'}^{A'_0}$ and $k_{mm'}^{B'_0}$, respectively. For example, if both \tilde{A} and \tilde{B} are Erdős-Rényi (ER) networks with average degrees a and b , respectively, and the initial attack on network A is random, then these $m \rightarrow m'$ degrees in A_0 have Poisson distributions for all m and m' . Then, according to the result in Ref. [32], we have

$$G_{A'_0}^m = G_{A'_0}^{mm'} = \exp\left(-\sum_{m'=1}^M k_{mm'}^{A'_0}(1 - \xi_{m'})\right), \quad G_{B'_0}^m = G_{B'_0}^{mm'} = \exp\left(-\sum_{m'=1}^M k_{mm'}^{B'_0}(1 - \xi_{m'})\right). \quad (8)$$

Here the average $m \rightarrow m'$ degrees in A'_0 and B'_0 are $k_{mm'}^{A'_0} = amp R_0(m')$ and $k_{mm'}^{B'_0} = bmp R_0(m')$, respectively. Notice that, in this case, $u_{m1} = u_{m2} = \dots = u_{mM} \triangleq u_m$, $m = 1, 2, \dots, M$. Therefore,

$$g_{A'_0}^{(m)}(p_1, p_2, \dots, p_M) = 1 - u_m(p_1, p_2, \dots, p_M), \quad (9)$$

where $u_m(p_1, p_2, \dots, p_M)$, $m = 1, 2, \dots, M$ is the solution of the following set of equations:

$$u_m = G_{A'_0}^m(1 - p_1(1 - u_1), 1 - p_2(1 - u_2), \dots, 1 - p_M(1 - u_M)) = \exp\left(-\sum_{m'=1}^M k_{mm'}^{A'_0} p_{m'}(1 - u_{m'})\right), \quad (10)$$

where $m = 1, 2, \dots, M$. Similarly, for network B'_0 ,

$$g_{B'_0}^{(m)}(p_1, p_2, \dots, p_M) = 1 - v_m(p_1, p_2, \dots, p_M), \quad (11)$$

where v_m satisfies

$$v_m = G_{B'_0}^m(1 - p_1(1 - v_1), 1 - p_2(1 - v_2), \dots, 1 - p_M(1 - v_M)) = \exp\left(-\sum_{m'=1}^M k_{mm'}^{B'_0} p_{m'}(1 - v_{m'})\right) \quad (12)$$




FIG. 4. (Color online) The evolution during cascading failures of the giant component size of network A , $\mu_{A,n}$, for both the theory and simulations. Here, $a = b = 3$, $K = 0.8$, $N = 100\,000$, and $M_{\max} = 50$. The (blue) full circles show eight realizations of simulations with total collapse at the critical threshold $p = p_c = 0.5528$. The (red) dashed rectangles show the theoretical prediction for $p_c = 0.551$.

where $m = 1, 2, \dots, M$. Thus, the giant component size $\mu_{A,n}$ at time step n can be predicted theoretically according to Eq. (2). Figure 4 shows this cascading process for both the theory and simulations near criticality when \tilde{A} , \tilde{B} , and C are all ER networks, and their average degrees are $a = 3$, $b = 3$, and $K = 0.8$.

The system of the final stage can be written as

$$x_m = 1 - u_m(y_1, y_2, \dots, y_M), \quad y_m = 1 - v_m(x_1, x_2, \dots, x_M). \quad (13)$$

By excluding x_m and y_m , we finally obtain

$$u_m = \exp\left(-\sum_{m'=1}^M k_{mm'}^{A_0}(1 - u_{m'})(1 - v_{m'})\right), \quad (14)$$

$$v_m = \exp\left(-\sum_{m'=1}^M k_{mm'}^{B_0}(1 - u_{m'})(1 - v_{m'})\right).$$

Therefore,

$$u_m = \exp\left(-amp \sum_{m'=1}^M R_0(m')(1 - u_{m'})(1 - v_{m'})\right), \quad (15)$$

$$v_m = \exp\left(-bmp \sum_{m'=1}^M R_0(m')(1 - u_{m'})(1 - v_{m'})\right),$$

where $m = 1, 2, \dots, M$.

By solving this system, we can get $\mu_\infty^{(m)} = (1 - u_m)(1 - v_m)$, $m = 1, 2, \dots, M$. This is the fraction of the mutual giant component in each subnetwork $A_0^{(m)}$ or $B_0^{(m)}$. The fraction of the mutual giant component in the original system of A and B is $\mu_\infty = p \sum_{m=1}^M \mu_\infty^{(m)} R_0(m)$.

Notice that in Eq. (15), $u_m = u_1^m$, and $v_m = u_1^{mb/a}$, $m = 1, 2, \dots, M$. Therefore, the system can be simplified to a single

equation for u_1 ,

$$u_1 = \exp\left(-ap \sum_{m'=1}^M R_0(m')(1 - u_1^{m'})(1 - u_1^{m'b/a})\right). \quad (16)$$

Thus, the fraction of the mutual giant component becomes

$$\mu_\infty = p \sum_{m=1}^M R_0(m)(1 - u_1^m)(1 - u_1^{mb/a}) = \frac{-\log u_1}{a}. \quad (17)$$

V. RESULTS

One trivial solution of Eq. (16) is $u_1 = 1$. In some cases, other nontrivial solutions exist in the interval $[0, 1)$. The smallest solution $u_{1\min}$ corresponds to the size of the final mutual giant component $-\log u_{1\min}/a$. Consider $F_2(u_1) = \exp(-ap \sum_{m'=1}^M R_0(m')(1 - u_1^{m'})(1 - u_1^{m'b/a}))$ and $F_1(u_1) = u_1$. Then the critical point u_{1c} and p_c is where a nontrivial solution that satisfies $F_1(u_{1c}) = F_2(u_{1c})$ and $F_1'(u_{1c}) = F_2'(u_{1c})$ emerges. Note that all the analysis is done here on the contracted network system after the initial random removal, which means there is no initial attacking on the contracted system. If M is finite, at the solution $u_1 = 1$, we have $F_1(1) = F_2(1) = 1$, but $F_1'(1) = 1 \neq F_2'(1) = 0$. This means these two curves cannot be tangent to each other at $u_1 = 1$. Therefore, $u_1 = 1$ cannot be a critical value for a second order transition, and only first order phase transitions at $u_{1c} < 1$ occur in systems with a finite M .

Here we further investigate the case where C (network composed of common links) is an ER network with an average degree K . After the random initial attack, C_0 is also an ER network, whose average degree becomes Kp . The component




FIG. 5. (Color online) Comparison of the simulation results (symbols) for μ_∞ (top figure) against the theoretical results (curves) when network C_0 is an ER network. Here, we choose $a = b = 3$, $K = 0.2, 0.5, 0.8$, and $N = 100\,000$. We also show (bottom figure) the number of iterative failures (NOI) in the simulation for the same values of K . Usually the peak of NOI values indicates the value of the critical threshold at the first order phase transition [31]. We can see the excellent agreement between the theoretical and simulation results.




FIG. 6. (Color online) The dependence of the critical value p_c on the average degree K of common links for interdependent ER networks systems. The average degrees of networks A_0 and B_0 are $a = b = 3$, and that of C_0 is K . The network size is $N = 300\,000$, and the number of realizations in simulations is 100. The curve is the theoretical results (using $M_{\max} = 50$), and the (red) full circles are the corresponding simulation results.

size distribution of C_0 is $R_0(m) = \frac{1}{m!}(mKp)^{m-1}e^{-mKp}$, $m = 1, 2, \dots$. In this case, M should be in principle infinite. However, when we substitute this distribution into Eq. (16), it is appropriate to use a truncation $m = 1, 2, \dots, M < \infty$ on the infinite sum, since $R_0(m)$ decays exponentially, and the largest cluster of network C_0 cannot be as large as $O(N)$ when $Kp < 1$. This means the transition point $p_c < 1/K$. Therefore, no matter for $K < 1$ or $K \geq 1$, we can use Eq. (16) directly to determine p_c , and the transition is always discontinuous. (Note that in the theory, $N \rightarrow \infty$, and K is a finite constant according to the definition of ER networks.) The theoretical




FIG. 7. (Color online) The dependence of the size of the jump at the critical threshold of the first order phase transitions on the average degree K of network C_0 . The average degrees of networks A_0 and B_0 are $a = b = 3$. The network size is $N = 100\,000$, and the number of realizations in simulations is 100. The dashed curve is the theoretical result ($M = 50$), and the (green) solid squares are the corresponding simulation results at the critical thresholds. From the shape of the curve, we can see that the size of the jump at the critical point does not reach 0 for a very large K , which strongly supports that if the two mutually depending networks are not identical, the phase transition is always discontinuous.

results are in excellent agreement with simulations, as shown in Figs. 5, 6, and 7. Figure 5 shows the phase transitions for three different K values. Figure 6 exhibits the effect of K on the transition point p_c . Note that when K is much larger than a and b , p_c will be very close to the transition point of a single ER network $p_c^{II} = 1/K$, since the system has only very small differences from two identical networks. Surprisingly, our results indicate that as long as $a, b > 0$, which means two networks are not identical, the equation describing the system will become Eq. (16), and the transition will move suddenly from second order when $a = b = 0$ to first order. Moreover, Fig. 7 illustrates that when K gets larger, the jump at the transition point will converge to 0 when $K \rightarrow +\infty$, since $0 \leq \mu_\infty(p = p_c) \leq p_c < 1/K \rightarrow 0$, but it will never reach 0 at any finite K .

VI. SUMMARY

In this paper we provide an exact solution for interdependent networks with common links (representing intersimilarity in the system), which can be found in many real world network systems. We treat the components composed of intersimilar links as a new kind of nodes, and these new nodes form a new mutually interdependent network system with degree correlation, which comes from the correlation between component sizes. In order to deal with this kind of degree correlation, we decompose the new network system into a series of subnetworks according to their component sizes. That is, the new node corresponds to the same component size in each of subnetworks respectively. Then we employ a high dimensional generating function to describe this system and obtain the exact percolation equations, which can be solved numerically. If the two mutually interdependent networks are fully intersimilar or identical ($a = b = 0$), we know that the percolation is exactly the same with that on a single network and must be a second order phase transition. From the above analysis, we surprisingly find that when the two mutually interdependent networks are not identical ($a, b > 0$), the transition is totally different from single networks and is always of first order. Notice that our method can be simplified to a single equation only for ER networks. Moreover, the cutoff M cannot be used if a giant component exists in C_0 . Therefore, we will try to develop new methods to solve other cases, such as power-law networks, in future works.

After this paper was submitted, we learned of a related analytical work on multiplex networks (specific case of interdependent networks) submitted recently to arXiv [33].

ACKNOWLEDGMENTS

We thank Prof. Yiming Ding and Dr. Jianxi Gao for useful discussions. This work is mainly supported by NSFC Grants No. 61203156. D. Z. is grateful for NSFC Grants No. 61074116 and the Fundamental Research Funds for the Central Universities of China. S. H. is grateful to DTRA, the LINC EU projects, the Epiwork EU project, EU-FET project MULTIPLEX No. 317532, the DFG, and the Israel Science Foundation for support.

- [1] A.-L. Barabási and R. Albert, *Science* **286**, 509 (1999).
- [2] J. M. Kleinberg, *Nature (London)* **406**, 845 (2000).
- [3] R. Albert and A.-L. Barabási, *Rev. Mod. Phys.* **74**, 47 (2002).
- [4] M. E. J. Newman, *SIAM Rev.* **45**(2), 167 (2003).
- [5] R. Albert, H. Jeong, and A.-L. Barabási, *Nature (London)* **406**, 378 (2000).
- [6] S. Boccaletti, V. Latora, Y. Moreno, M. Chavez, and D.-U. Hwang, *Phys. Rep.* **4–5**, 175 (2006).
- [7] A. Barrat, M. Barthlémy, and A. Vespignani, *Dynamical Processes on Complex Networks* (Cambridge University Press, New York, 2008).
- [8] C. M. Schneider, A. A. Moreira, J. S. A., Jr., S. Havlin, and H. J. Herrmann, *Proc. Natl. Acad. Sci. USA* **108**, 3838 (2011).
- [9] G. Li, S. D. S. Reis, A. A. Moreira, S. Havlin, H. E. Stanley, and J. J. S. Andrade, *Phys. Rev. Lett.* **104**, 018701 (2010).
- [10] S. Dorogovtsev, *Lectures on Complex Networks* (Oxford University Press, Oxford, 2010).
- [11] G. Caldarelli and A. Vespignani, *Large Scale Structure and Dynamics of Complex Networks: From Information Technology to Finance and Natural Science* (World Scientific, Singapore 2007).
- [12] M. Newman, *Networks: An Introduction* (Oxford University Press, Oxford, 2010).
- [13] R. Cohen and S. Havlin, *Complex Networks: Structure, Robustness and Function* (Cambridge University Press, Cambridge, 2010).
- [14] Y. Hu, Y. Wang, D. Li, S. Havlin, and Z. Di, *Phys. Rev. Lett.* **106**, 108701 (2011).
- [15] S. V. Buldyrev, R. Parshani, G. Paul, H. E. Stanley, and S. Havlin, *Nature (London)* **464**, 1025 (2010).
- [16] R. Parshani, S. V. Buldyrev, and S. Havlin, *Phys. Rev. Lett.* **105**, 048701 (2010).
- [17] S. V. Buldyrev, N. W. Shere, and G. A. Cwilich, *Phys. Rev. E* **83**, 016112 (2011).
- [18] J. Shao, S. V. Buldyrev, S. Havlin, and H. E. Stanley, *Phys. Rev. E* **83**, 036116 (2011).
- [19] Y. Hu, B. Ksherim, R. Cohen, and S. Havlin, *Phys. Rev. E* **84**, 066116 (2011).
- [20] J. Gao, S. V. Buldyrev, S. Havlin, and H. E. Stanley, *Phys. Rev. Lett.* **107**, 195701 (2011).
- [21] J. Gao, S. V. Buldyrev, H. E. Stanley, and S. Havlin, *Nature Phys.* **8**, 40 (2012).
- [22] G. J. Baxter, S. N. Dorogovtsev, A. V. Goltsev, and J. F. F. Mendes, *Phys. Rev. Lett.* **109**, 248701 (2012).
- [23] S. Gómez, A. Díaz-Guilera, J. Gómez-Gardeñes, C. J. Pérez-Vicente, Y. Moreno, and A. Arenas, *Phys. Rev. Lett.* **110**, 028701 (2013).
- [24] S.-W. Son, G. Bizhani, C. Christensen, P. Grassberger, and M. Paczuski, *Europhys. Lett.* **97**, 16006 (2012).
- [25] A. Saumell-Mendiola, M. A. Serrano, and M. Boguñá, *Europhys. Lett.* **86**, 026106 (2012).
- [26] J. Aguirre, D. Papo, and J. M. Buldú, *Nature Phys.* **9**, 230 (2013).
- [27] A. Bashan, Y. Berezin, S. V. Buldyrev, and S. Havlin, *Nature Phys.* **9**, 667 (2013).
- [28] V. Rosato, L. Issacharoff, F. Tiriticco, S. Meloni, S. D. Porcellinis, and R. Setola, *Int. J. Crit. Infrastruct.* **4**, 63 (2008).
- [29] J. H. Eto, Final Report on the August 14, 2003 Blackout in the United States and Canada: Causes and Recommendations, Tech. Rep. (US-Canada Power System Outage Task Force, 2004).
- [30] R. Parshani, C. Rozenblat, D. Ietri, C. Ducruet, and S. Havlin, *Europhys. Lett.* **92**, 68002 (2010).
- [31] R. Parshani, S. V. Buldyrev, and S. Havlin, *Proc. Natl. Acad. Sci. USA* **108**, 1007 (2010).
- [32] E. A. Leicht and R. M. D’Souza, arXiv:0907.0894.
- [33] D. Cellai, E. López, J. Zhou, J. P. Gleeson, and G. Bianconi, arXiv:1307.6359.